


Sr No	PART	MATERIAL	QTY
1	BODY	ASTM A182 Gr.F316	1
2	END CONNECTOR	ASTM A479 Gr.SS316	2
3	BALL	ASTM A479 Gr.SS316	1
4	STEM	ASTM A479 Gr.SS316	1
5	SEAT	PEEK	2
6	FRONT FERRULE	SS316	2
7	BACK FERRULE	SS316	2
8	NUT	ASTM A479 Gr.SS316	2
9	CONNECTOR PACKING	PTFE	2
10	STEM SEAL	PTFE	2
11	CHECK NUT	SS 304	1
12	PUSHER	ASTM A479 Gr.SS316	1
13	GRUB SCREW	SS 304	2
14	HANDLE	NYLON	1

Data Sheet.

Process Conn.: 6mm ODT
 Instrument Conn.: 6mm ODT
 Bore.: Ø4.7mm

M W P.: 6000psig @ 100 °F
 Seat Test Press (Hydro): 6600 psig
 Seat Test Press (Pneu): 90 psig
 Body Test Press (Hydro): 9000 psig
 Temp. Range:- -54 to 260°C

NOTE :- UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN 'mm'
 # MARKED DIMENSION IS IN FINGER TIGHT POSITION.

 Fittings & Valves info@havi.in www.havi.in A-201, PRIME TRADE CENTER SATIVALI ROAD, VASAI (E), PALGHAR - 401208, MAHARASHTRA, INDIA				PART NAME : Medium Pressure Ball Valve with Panel Mounting 6mm ODT X 6mm ODT				CUSTOMER NAME:-									
				DWG NO : - MBV-6MT-6MT-S6				PROJECT NAME & NO:									
				MATERIAL :- AS PER BOM				ENQ NO:- EN2223/00927									
DRAWN BY		SIGN		DATE		REV NO		DESCRIPTION		SIGN		DATE		SO NO: -		SHEET NO: 01 OF 01	
CHECKED BY		RW		11.11.2022												REV NO: 00	
APPROVED BY		SM		11.11.2022												SCALE: NTS	
* All dimensions are in mm. Dimensions for reference only and are subject to change without notice																	
* This document is the property of Havi Engineering India Pvt. Ltd. No exploitation or release of any text contained herein or relating to this document is permitted in any form without the written consent of HAVI.																	

PATH: -Z:\2022-2023\EXPORT\EN222300927\GAD