



SR NO	PART DESCRIPTION	MATERIAL	QTY
1	BODY	ASTM Gr.A105	1
2	TIP	ASTM A479 Gr.SS316	1
3	BONNET WASHER	ASTM A479 Gr.SS316	1
4	GLAND PACKING	GRAPHITE	1
5	BACKUP WASHER	ASTM A479 Gr.SS316	1
6	BONNET PUSHER	ASTM Gr.A105	1
7	HANDLE	SS304	1
8	GRUB SCREW	SS304	2
9	SPINDLE	ASTM A479 Gr.SS316	1
10	CHECK NUT	SS304	1
11	BONNET	ASTM Gr.A105	1
12	DOWEL PIN	SS304	1
13	DUST CAP	ALUMINIUM	1

Data Sheet.
 Process Conn.: 1" BSPT(F)
 Instrument Conn.: 1" BSPT(F)
 Orifice.: 4mm
 Screwed Bonnet Design
 Temperature Range : -20°F To 800°F
 M W P.: 6000 psig @ 100 °F
 Seat Test Press (Hydro): 6600 psig
 Seat Test Press (Pneu): 90 psig
 Body Test Press (Hydro): 9000 psig

 Fittings & Valves info@havi.in www.havi.in A-201, PRIME TRADE CENTER SATIVALI ROAD, VASAI (E), PALGHAR - 401208, MAHARASHTRA, INDIA		PART NAME : BAR STOCK NEEDLE VALVE, 1"BSPT FEMALE X 1"BSPT FEMALE		CUSTOMER NAME :	
		DWG NO : - NVBS-16ITF-16ITF-A105-G		PROJECT NAME :	
		MATERIAL : - AS PER BOM		ENQ NO : - 2300-000329	
				SO NO :-	
				 SHEET NO: 01 OF 01	
				REV NO: 00	
				SCALE: NTS	
				* All dimensions are in mm. Dimensions for reference only and are subject to change without notice * This document is the property of Havi Engineering India Pvt. Ltd. No exploitation or release of any text contained herein or relating to this document is permitted in any form without the written consent of HAVI.	

PATH: C:\USERS\DESIGN\2\DESKTOP\ENQUIRY\2300-000329