




SR NO	DESCRIPTION	MATERIAL	QTY
1	BODY	ASTM A182 Gr 316	1
2	TIP	ASTM A479 Gr 316	1
3	BONNET WASHER	ASTM A479 Gr 316	1
4	GLAND PACKING	GRAPHITE	1 SET
5	BACKUP WASHER	ASTM A479 Gr 316	1
6	BONNET PUSHER	ASTM A479 Gr 316	1
7	HANDLE	SS 304	1
8	GRUB SCREW	SS 304	2
9	SPINDLE	ASTM A479 Gr 316	1
10	CHECK NUT	ASTM A479 Gr 316	1
11	BONNET	ASTM A479 Gr 316	1
12	DOWEL PIN	SS 304	1
13	DUST CAP	ALUMINIUM	1



Data Sheet.

- Process Conn.: 1/2" NPT-M
- Instrument Conn.: 1/2" NPT-F
- Orifice: 4mm
- Screwed Bonnet Design
- MWP.: 10000 psig @ 100 °F
- Seat Test Press (Hydro): 11000 psig
- Seat Test Press (Pneu): 90 psig
- Body Test Press (Hydro): 15000 psig
- Temperature Range:-: -54°C to 649°C

 Fittings & Valves info@havi.in www.havi.in A-201, PRIME TRADE CENTER SATIVALI ROAD, VASAI (E), PALGHAR - 401208, MAHARASHTRA, INDIA		PART NAME : BAR STOCK NEEDLE VALVE HIGH PRESSURE, 1/2" NPT-M x 1/2" NPT-F				CUSTOMER NAME:-		
		DWG NO : - NVHB-8M-8F-S6-G				PROJECT NAME :-		
		MATERIAL : - AS PER BOM				END USER NAME :-		
R1		CUSTOMER COMMENTS INCORPORATED		MBC	16.09.2023	ENQ NO: SO2324/00186	 SHEET NO: 01 OF 01	
DRAWN BY		MBC	12.09.2023	REV NO	DESCRIPTION	SIGN		DATE
CHECKED BY		VSM	12.09.2023	* All dimensions are in mm. Dimensions for reference only and are subject to change without notice				REV NO: 01
APPROVED BY		SRD	12.09.2023	* This document is the property of Havi Engineering India Pvt. Ltd. No exploitation or release of any text contained herein or relating to this document is permitted in any form without the written consent of HAVI.				SCALE: NTS

PATH: Y:\FY 2023-24\ISO-0186\GAD\SUBMITTED GAD